




**Not Just A Supplier,  
But Your Trusted Partner  
For Spatial Solutions**

Hebei Shineyond Group  
Hebei Shineyond Link Technology Co., Ltd.

Address: Floor 30th, China Resource Building B, No.108 Road Zhongshan, Qiaoxi  
District, Shijiazhuang City, Hebei Province, China  
Tel: +86 131 0283 7253  
Email: [sales@shineyondmetal.com](mailto:sales@shineyondmetal.com)

**CONTAINER HOUSE MANUFACTURER**  
**HEBEI SHINEYOND**



**WE CREATE THE SPACE, YOU CREATE THE DREAM**





## Company Profile

We are Hebei Shineyond Link Technology Co.Ltd, a global modular house brand born from the Shineyond Group.

With over 20 years of group expertise in steel trade and manufacturing, we possess an innate understanding of metal, forming the solid foundation for our durable and reliable container buildings.

With our own factory and stringent quality control, we ensure consistent quality from raw material to finished product. Our in-house R&D focuses on optimizing structure, folding mechanisms, and space efficiency.

Leveraging the group's established international trade network in mainland Hebei and Hong Kong, we deliver efficient and professional products and services to clients worldwide.

# CONTENTS

P01

About Us

P03

Factory

P04

Qualification Certificates

P05

Core Products

P05

10ft Expandable Folding House

P07

20ft Expandable Folding House

P09

30ft Expandable Folding House

P11

40ft Expandable Folding House

P13

Apple Cabin

P15

Space Cabin

P17

Detachable Container House

P19

Folding Container House

P21

3D Interior Space  
Renderings

P23

Frame Craftsmanship

P24

Packaging and Shipping

P25

Project Showcase

P26

Company Culture



# Factory

WE CREATE THE SPACE  
YOU CREATE THE DREAM

Smart  
Production

Precision  
Engineering

Efficient  
Precision




Standardized Clean Plants, Ensuring Stability for Every Process.



# Qualification Certificates

Authoritative Certs, Global Standards, Our Core Promise of Quality







# 10FT EXPANDABLE FOLDING HOUSE

This is not merely a container; rather, it is a promise of freedom, flexibility and the future.

## Parameter List

| 10FT EXPANDABLE FOLDING HOUSE |                                                                                                                         |                            |            |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------|----------------------------|------------|
| Expand Size                   | L2950*W6300*H2480MM                                                                                                     | Number of The Guest        | 2~4 People |
| Inside Size                   | L2690*W6140*H2240MM                                                                                                     | Electric Power Consumption | 12KW       |
| Folded Size                   | L2950*W2200*H2480MM                                                                                                     | Total Net Weight           | 2.6 Tons   |
| Floor Space                   | 18.5 m <sup>2</sup>                                                                                                     |                            |            |
| Layout                        | One bedrooms, one living room, one kitchen and one bathroom                                                             |                            |            |
| Main Framework                | Seismic-resistant fully galvanized frame, electrostatic spraying + anti-corrosion treatment (fluorocarbon baking paint) |                            |            |
| Wall                          | EPS composite board, exterior metal decorative panels + interior bamboo and wood fiber board, flame retardant grade B   |                            |            |
| Doors and Windows             | Broken bridge aluminum doors and windows, tempered glass for sound insulation and heat insulation                       |                            |            |
| Floor                         | PVC floor , SPC floor                                                                                                   |                            |            |
| Kitchen                       | 900mm marble countertop L-shaped cabinet                                                                                |                            |            |
| Bathroom                      | Bathroom, shower, washbasin, bathroom mirror, shower enclosure, water pipes, etc.                                       |                            |            |
| Water and Electricity         | According to different national standards                                                                               |                            |            |

## ▼ Roof Type




House Front



House Side

## Interior Design



## ▼ Product Advantages



Thermal Insulation, Waterproofing, Earthquake Resistance



Personalized Customization



Service Life Exceeding 20 Years



Upscale Living Experience





# 20FT EXPANDABLE FOLDING HOUSE

Affordable price, quick installation, specially designed for all-year comfort.

## Parameter List

| 20FT EXPANDABLE FOLDING HOUSE |                                                                                                                         |                            |            |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------|----------------------------|------------|
| Expand Size                   | L5900*W6480*H2480MM                                                                                                     | Number of The Guest        | 2~4 People |
| Inside Size                   | L5460*W6320*H2235MM                                                                                                     | Electric Power Consumption | 12KW       |
| Folded Size                   | L5900*W2200*H2480MM                                                                                                     | Total Net Weight           | 3.5 Tons   |
| Floor Space                   | 38 m <sup>2</sup>                                                                                                       |                            |            |
| Layout                        | Two bedrooms, one living room, one kitchen and one bathroom                                                             |                            |            |
| Main Framework                | Seismic-resistant fully galvanized frame, electrostatic spraying + anti-corrosion treatment (fluorocarbon baking paint) |                            |            |
| Wall                          | EPS composite board, exterior metal decorative panels + interior bamboo and wood fiber board, flame retardant grade B   |                            |            |
| Doors and Windows             | Broken bridge aluminum doors and windows, tempered glass for sound insulation and heat insulation                       |                            |            |
| Floor                         | PVC floor , SPC floor                                                                                                   |                            |            |
| Kitchen                       | 900mm marble countertop L-shaped cabinet                                                                                |                            |            |
| Bathroom                      | Bathroom, shower, washbasin, bathroom mirror, shower enclosure, water pipes, etc.                                       |                            |            |
| Water and Electricity         | According to different national standards                                                                               |                            |            |

### ▼ Roof Type



General Roof



Flat Roof

## Interior Design



### ▼ Product Advantages



Thermal Insulation, Waterproofing, Earthquake Resistance



Personalized Customization



Service Life Exceeding 20 Years



Upscale Living Experience





# 30FT EXPANDABLE FOLDING HOUSE

This is not a cold iron plate - this is the place where your soul finally finds its home.

## Parameter List

| 30FT EXPANDABLE FOLDING HOUSE |                                                                                                                         |                            |            |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------|----------------------------|------------|
| Expand Size                   | L9000*W6220*H2480MM                                                                                                     | Number of The Guest        | 3~6 People |
| Inside Size                   | L8740*W6060*H2200MM                                                                                                     | Electric Power Consumption | 12KW       |
| Folded Size                   | L9000*W2200*H2480MM                                                                                                     | Total Net Weight           | 6 Tons     |
| Floor Space                   | 56 m <sup>2</sup>                                                                                                       |                            |            |
| Layout                        | One-bedroom / Two-bedroom / Three-bedroom, one living room, one kitchen and one bathroom                                |                            |            |
| Main Framework                | Seismic-resistant fully galvanized frame, electrostatic spraying + anti-corrosion treatment (fluorocarbon baking paint) |                            |            |
| Wall                          | EPS composite board, exterior metal decorative panels + interior bamboo and wood fiber board, flame retardant grade B   |                            |            |
| Doors and Windows             | Broken bridge aluminum doors and windows, tempered glass for sound insulation and heat insulation                       |                            |            |
| Floor                         | PVC floor , SPC floor                                                                                                   |                            |            |
| Kitchen                       | 900mm marble countertop L-shaped cabinet                                                                                |                            |            |
| Bathroom                      | Bathroom, shower, washbasin, bathroom mirror, shower enclosure, water pipes, etc.                                       |                            |            |
| Water and Electricity         | According to different national standards                                                                               |                            |            |

### ▼ Roof Type



General Roof



Flat Roof

## Interior Design



### ▼ Product Advantages



Thermal Insulation, Waterproofing, Earthquake Resistance



Personalized Customization



Service Life Exceeding 20 Years



Upscale Living Experience





# 40FT EXPANDABLE FOLDING HOUSE

Extra-large space capacity, high-quality residence, direct move-in with no unpacking required, saving both time and money.

## Parameter List

| 40FT EXPANDABLE FOLDING HOUSE |                                                                                                                         |                            |            |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------|----------------------------|------------|
| Expand Size                   | L11800*W6220*H2480MM                                                                                                    | Number of The Guest        | 7~8 People |
| Inside Size                   | L11540*W6060*H2240MM                                                                                                    | Electric Power Consumption | 12 KW      |
| Folded Size                   | L11800*W2200*H2480MM                                                                                                    | Total Net Weight           | 6.7 Tons   |
| Floor Space                   | 73 m <sup>2</sup>                                                                                                       |                            |            |
| Layout                        | Two-bedroom / Three-bedroom, one living room, one kitchen and one bathroom                                              |                            |            |
| Main Framework                | Seismic-resistant fully galvanized frame, electrostatic spraying + anti-corrosion treatment (fluorocarbon baking paint) |                            |            |
| Wall                          | EPS composite board, exterior metal decorative panels + interior bamboo and wood fiber board, flame retardant grade B   |                            |            |
| Doors and Windows             | Broken bridge aluminum doors and windows, tempered glass for sound insulation and heat insulation                       |                            |            |
| Floor                         | PVC floor , SPC floor                                                                                                   |                            |            |
| Kitchen                       | 900mm marble countertop L-shaped cabinet                                                                                |                            |            |
| Bathroom                      | Bathroom, shower, washbasin, bathroom mirror, shower enclosure, water pipes, etc.                                       |                            |            |
| Water and Electricity         | According to different national standards                                                                               |                            |            |

### ▼ Roof Type



General Roof



Flat Roof

## Interior Design



### ▼ Product Advantages



Thermal Insulation, Waterproofing, Earthquake Resistance



Service Life Exceeding 20 Years



Personalized Customization



Upscale Living Experience





# APPLE CABIN

Customize your aesthetic space, unlock the ideal life you envision.

## Parameter List

| APPLE CABIN           |                                                                                                                         |               |                           |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------|
| 20FT                  | L5800MM*W2200MM*H2450MM                                                                                                 | Weight :4tons | Area: 13 m <sup>2</sup>   |
| 30FT                  | L9000MM*W2200MM*H2450MM                                                                                                 | Weight :6tons | Area: 19.8 m <sup>2</sup> |
| 40FT                  | L11500MM*W2200MM*H2450MM                                                                                                | Weight :8tons | Area: 26 m <sup>2</sup>   |
| Layout                | One/Two bedroom, one living room, one kitchen and one bathroom                                                          |               |                           |
| Main Framework        | Seismic-resistant fully galvanized frame, electrostatic spraying + anti-corrosion treatment (fluorocarbon baking paint) |               |                           |
| Wall                  | EPS composite board, exterior metal decorative panels + interior bamboo and wood fiber board, flame retardant grade B   |               |                           |
| Doors and Windows     | Broken bridge aluminum doors and windows, tempered glass for sound insulation and heat insulation                       |               |                           |
| Floor                 | SPC floor , PVC floor                                                                                                   |               |                           |
| Kitchen               | 900mm marble countertop cabinet                                                                                         |               |                           |
| Bathroom              | Bathroom, shower, washbasin, bathroom mirror, shower enclosure, water pipes, etc.                                       |               |                           |
| Water and Electricity | According to different national standards                                                                               |               |                           |

## ▼ Details



Type 1



Type 2

## Interior Design



## ▼ Product Advantages



Thermal Insulation, Waterproofing, Earthquake Resistance



Personalized Customization



High aesthetic appeal and High commercial value



Portable and reusable





# SPACE CABIN

Immersive smart spaces; technology frees up living.

## Parameter List

| SPACE CABIN           |                                                                                                                         |                |                         |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------|
| 20FT                  | L6000MM*W3000MM*H3000MM                                                                                                 | Weight :3tons  | Area: 18 m <sup>2</sup> |
| 30FT                  | L8500MM*W3300MM*H3000MM                                                                                                 | Weight :9tons  | Area: 28 m <sup>2</sup> |
| 40FT                  | L11500MM*W3300MM*H3400MM                                                                                                | Weight :11tons | Area: 38 m <sup>2</sup> |
| Layout                | One bedroom, one living room, one kitchen and one bathroom                                                              |                |                         |
| Main Framework        | Seismic-resistant fully galvanized frame, electrostatic spraying + anti-corrosion treatment (fluorocarbon baking paint) |                |                         |
| Wall                  | EPS composite board, exterior metal decorative panels + interior bamboo and wood fiber board, flame retardant grade B   |                |                         |
| Doors and Windows     | Broken bridge aluminum doors and windows, tempered glass for sound insulation and heat insulation                       |                |                         |
| Floor                 | SPC floor                                                                                                               |                |                         |
| Kitchen               | 900mm marble countertop L-shaped cabinet                                                                                |                |                         |
| Bathroom              | Bathroom, shower, washbasin, bathroom mirror, shower enclosure, water pipes, etc.                                       |                |                         |
| Water and Electricity | According to different national standards                                                                               |                |                         |

## ▼ Details



Type 1



Type 2

## Interior Design



## ▼ Product Advantages



Thermal Insulation, Waterproofing, Earthquake Resistance



Personalized Customization



High aesthetic appeal and High commercial value



Portable and reusable





# FOLDING CONTAINER HOUSE

Foldable for easy transport, ready to use when unfolded—Efficient space solutions.

## Parameter List

| FOLDING CONTAINER HOUSE |                                                                                                                                                       |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Expandable Size         | L5800*W2450*H2500MM                                                                                                                                   |
| Area                    | 14 m <sup>2</sup>                                                                                                                                     |
| Internal Size           | L5670*W2320*H2320MM                                                                                                                                   |
| Occupied People         | 2~3People                                                                                                                                             |
| Layout                  | One room                                                                                                                                              |
| Weight                  | 1.2tons                                                                                                                                               |
| Primary Frame           | Seismic-resistant fully galvanized frame, electrostatic spray coating + anti-corrosion treatment (fluorocarbon baking paint), flame retardant grade B |
| Walls                   | Thick steel plate + EPS composite panels                                                                                                              |
| Doors & Windows         | Aluminum alloy windows with security bars, security doors                                                                                             |
| Floor                   | MGO/cement fiber boards                                                                                                                               |
| Plumbing & Electrical   | Designed according to different national standards                                                                                                    |

## ▼ Details





Overall View



Package

## Interior Design



## ▼ Product Advantages



Thermal Insulation, Waterproofing, Earthquake Resistance



Service Life Exceeding 20 Years



Personalized Customization



Fast Build And Unlimited Connectivity





# DETACHABLE CONTAINER HOUSE

One box, one world—flexibly adapts to office, residential, and construction site needs.

## Parameter List

| DETACHABLE CONTAINER HOUSE |                                                                                                                              |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Expandable Size            | L5800*W2440*H2896MM                                                                                                          |
| Area                       | 14 m <sup>2</sup>                                                                                                            |
| Internal Size              | L5630*W2230*H2515MM                                                                                                          |
| Occupied People            | 2~3People                                                                                                                    |
| Layout                     | One room                                                                                                                     |
| Weight                     | 1.2tons                                                                                                                      |
| Primary Frame              | Seismic-resistant fully galvanized frame, electrostatic spray coating + anti-corrosion treatment (fluorocarbon baking paint) |
| Walls                      | Thick steel plate + EPS composite panels                                                                                     |
| Doors & Windows            | Aluminum alloy windows with security bars, security doors                                                                    |
| Floor                      | MGO/cement fiber boards                                                                                                      |
| Plumbing & Electrical      | Designed according to different national standards                                                                           |

### ▼ Details



## Interior Design



### ▼ Product Advantages



Thermal Insulation, Waterproofing, Earthquake Resistance



Personalized Customization



Service Life Exceeding 20 Years



Fast Build And Unlimited Connectivity






# 3D Interior Space Renderings

Immersive 3D Previews

Visualize Every Detail of Your Space Before Construction





# Frame Craftsmanship

A Full-Process Quality Barrier, Meticulous to Ensure Perfection



Standardized Shipping Procedures, Every Container a Secure Vault

## Packaging and Shipping






“From Blueprint to Reality, a  
Global Footprint of Success”

## Project Showcase

# Company Culture

Shineyond Link has always upheld strength, integrity, high quality and accountability as our core brand philosophy. We are determined to become a leader in the industry and provide you with first-class services!



We  
Shineyond

Link are not just a  
supplier, but your  
trusted partner for  
spatial solutions!